

FOAM ALL

UNI-KEM CHEMICALS, INC.

802 Wm. Leigh Drive
Tullytown, PA 19007
Phone—800-752-1120
Fax— 215-269-9855

GENERAL DESCRIPTION: Foam All is a USDA approved, alkaline cleaner for use in the food, dairy, and meat processing industries. Foam All contains biodegradable surfactants and rinses freely. Foam All is a clear, amber liquid with a slight odor. Foam All can be used in cleaning all areas of restaurants, cafeterias, supermarkets, delis, bakeries, and as a general purpose product in larger food processing and meat packing plants.

PHYSICAL PROPERTIES:

Chemical Composition . . . Alkaline base; soil and mineral sequestering agents for water conditioning
Appearance Clear Amber liquid
pH 13.8
pH of 1% solution 12.1
Specific gravity 1.132 (10.8 lbs/gal)
Solubility Complete and Fast
Stability 1 Year @ Ambient Temperature
Caustic Present
Biodegradable Yes, all surfactants
Foaming High, Stable
Water Hardness Tolerance . . 15 Grains Per Gallon at 0.3%-10 Grains Per Gallon at 0.2%-5 Grains Per Gallon at 0.1%

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.



RECOMMENDED RANGE OF USE CONCENTRATIONS:

Titrate with Institutional Alkalinity Test Kit. Use range is 0.1% to 0.3%, or 3 to 9 drops (each drop = .033%) using a 10 ml sample and 3 drops of Phenolphthalein Indicator. Select actual use concentration

to handle water hardness and soil load.

NOTE: To properly titrate, adjust for raw water alkalinity by titrating H₂O just as you would a detergent solution. Subtract that number from total drop titration to derive intended detergent concentration.

Example: Raw water titrates 2 drops, total drop titration equals 8 drops. (8 - 2 = 6 x .033% = 0.2%)

HANDLING PRECAUTIONS:

CAUTION: WARNING

KEEP OUT OF REACH OF CHILDREN.

Highly alkaline liquid. Contact with skin and eyes may cause severe irritation. Harmful if swallowed. Flood with water if splashed in eyes. Flush with water for 15 minutes and consult physician immediately. If ingested, drink large amounts of milk, milk of magnesia or gelatin, or if these are not available, drink large amounts of water. DO NOT induce vomiting. Obtain prompt medical attention.

PACKAGING:

5 gal plastic pail - 54 lbs net / 57 lbs gross
15 gal plastic drum - 162 lbs net / 168 lbs gross
55 gal plastic drum - 583 lbs net / 600 lbs gross

CODE: FOAM

SAFETY DATA SHEET

Issuing Date No data available

Revision Date 16-Dec-2013

Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name FOAM ALL

Other means of identification

Product Code(s) FOAM

UN-Number UN1760

Synonyms FOAM

Recommended use of the chemical and restrictions on use

Recommended Use Industrial Detergent

Uses advised against No information available

Supplier's details

Supplier Address

Uni-Kem Chemicals, Inc.
802 Wm. Leigh Drive
Tullytown, PA 19007
TEL: 1-800-752-1120

Emergency telephone number

Emergency Telephone Number 1-703-527-3887

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Skin Corrosion/Irritation	Category 1 Subcategory 1A
Serious Eye Damage/Eye Irritation	Category 1

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word Danger

Hazard Statements

- Causes severe skin burns and eye damage

**Appearance** Yellow**Physical State** Liquid.**Odor** No information available**Precautionary Statements****Prevention**

- Do not breathe dust/fume/gas/mist/vapors/spray
- Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection.

General Advice

- Immediately call a POISON CENTER or doctor/physician
- Specific treatment (see supplemental first aid instructions on this label)

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician.

Skin

- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse.

Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Ingestion

- IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Storage

- Store locked up.

Disposal

- Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

Toxic to aquatic life. Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS**Synonyms**

FOAM

Chemical Name	CAS-No	Weight %	Trade secret
Potassium hydroxide	1310-58-3	5-15	*
Sodium hypochlorite	7681-52-9	1-5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with soap and plenty of water. Remove and wash contaminated clothing before re-use. Immediate medical attention is required.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.
Ingestion	Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Immediate medical attention is required.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None

Specific Hazards Arising from the Chemical

No information available.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

Protect from irritating mists and corrosive solutions with pressure demand, self-contained respirator and protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Stop leak if you can do it without risk. If spilled, take caution, as material can cause surfaces to become very slippery.

Environmental Precautions

Environmental Precautions Dispose of contents/container to an approved waste disposal plant. See Section 12 for additional Ecological Information

Methods and materials for containment and cleaning up

Methods for Containment Stop leak if you can do it without risk

Methods for Cleaning Up Contain spill, dilute with water and neutralize as required. Wash away small spills with plenty of water.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Use only in area provided with appropriate exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Do not take internally. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep out of the reach of children.

Incompatible Products

Strong acids. Organic peroxides. Organic halogenated compounds.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Appropriate engineering controls

Engineering Measures

Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Chemical splash goggles.

Skin and Body Protection

Impervious gloves.

Respiratory Protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid	Appearance	Yellow
Odor	No information available	Odor Threshold	No information available

Property	Values	Remarks/ - Method
pH	12.9	None known
Melting Point/Range	No data available	None known
Boiling Point/Boiling Range	>100 °C / >212 °F	None known
Flash Point	No data available	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limits in Air		
upper flammability limit	No data available	
lower flammability limit	No data available	
Vapor Pressure	No data available	None known
Vapor Density	No data available	None known

Relative Density	No data available	None known
Specific Gravity	1.12	None known
Water Solubility	100	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/water	No data available	None known
Autoignition Temperature	No data available	None known
Decomposition Temperature	No data available	None known
Viscosity	No data available	None known

Flammable Properties Not flammable

Explosive Properties No data available

Oxidizing Properties No data available

Other information

VOC Content (%) No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Spills or careless handling. Incompatible products.

Incompatible materials

Strong acids. Organic peroxides. Organic halogenated compounds.

Hazardous decomposition products

Potassium oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	No known effect based on information supplied.
Eye Contact	Causes serious eye damage. Eye contact with corrosive substances can cause eye burns.
Skin Contact	Corrosive. Causes severe skin burns.
Ingestion	May be harmful if swallowed. Ingestion of corrosive substances can cause burns of the upper digestive and respiratory tract.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Potassium hydroxide	= 214 mg/kg (Rat)	-	-
Sodium hypochlorite	= 8200 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium hypochlorite		Group 3		

IARC: (International Agency for Research on Cancer)

Group 3: Not Classifiable as to its Carcinogenicity to Humans

Reproductive Toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration Hazard No information available.

Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral 3697 mg/kg; Acute toxicity estimate

LD50 Dermal 43534 mg/kg; Acute toxicity estimate

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Potassium hydroxide 1310-58-3		LC50 96 h: = 80 mg/L static (Gambusia affinis)		
Sodium hypochlorite 7681-52-9	EC50 24 h: = 0.095 mg/L (Skeletonema costatum)	LC50 96 h: 0.03 - 0.19 mg/L semi-static (Oncorhynchus mykiss) LC50 96 h: 0.05 - 0.771 mg/L flow-through (Oncorhynchus mykiss) LC50 96 h: 0.06 - 0.11 mg/L flow-through (Pimephales promelas) LC50 96 h: 0.18 - 0.22 mg/L static (Oncorhynchus mykiss) LC50 96 h: 0.28 - 1 mg/L flow-through (Lepomis macrochirus) LC50 96 h: 0.4 - 0.8 mg/L static (Lepomis macrochirus) LC50 96 h: 4.5 - 7.6 mg/L static (Pimephales promelas)		EC50 48 h: 0.033 - 0.044 mg/L Static (Daphnia magna) EC50 96 h: = 2.1 mg/L (Daphnia magna)

Persistence and Degradability No information available.

Bioaccumulation No information available.

Chemical Name	Log Pow
Potassium hydroxide	0.83

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulations

Contaminated Packaging Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Potassium hydroxide	Toxic Corrosive
Sodium hypochlorite	Toxic Ignitable Reactive

14. TRANSPORT INFORMATION

DOT

UN-Number UN1760
Proper shipping name Corrosive liquids, n.o.s.
Hazard Class 8
Packing Group II
Reportable Quantity (RQ) Potassium hydroxide: RQ kg= 4433.59, Sodium hypochlorite: RQ kg= 2522.22
Description UN1760, Corrosive liquids, n.o.s. (Potassium hydroxide), 8, II, RQ
Emergency Response Guide Number 154

TDG

UN-Number UN1760
Proper Shipping Name Corrosive liquid, n.o.s.
Hazard Class 8
Packing Group II
Description UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide), 8, II

MEX

UN-Number UN1760
Proper Shipping Name Corrosive liquid, n.o.s.
Hazard Class 8
Packing Group II
Description UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide), 8, II

ICAO

UN-Number UN1760
Proper shipping name Corrosive liquid, n.o.s.
Hazard Class 8
Packing Group II
Description UN1760, Corrosive liquid, n.o.s., 8, II

IATA

UN-Number UN1760
Proper Shipping Name Corrosive liquid, n.o.s.
Hazard Class 8
Packing Group II
ERG Code 8L
Description UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide), 8, II

IMDG/IMO

UN-Number UN1760
Proper Shipping Name Corrosive liquid, n.o.s.
Hazard Class 8
Packing Group II

EmS No.	F-A, S-B
Description	UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide), 8, II

RID

UN-Number	UN1760
Proper Shipping Name	Corrosive liquid, n.o.s.
Hazard Class	8
Packing Group	II
Classification Code	C9
Description	UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide), 8, II

ADR

UN-Number	UN1760
Proper Shipping Name	Corrosive liquid, n.o.s.
Hazard Class	8
Packing Group	II
Classification Code	C9
Tunnel Restriction Code	(E)
Description	UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide), 8, II, (E)
ADR/RID-Labels	8

ADN

Proper Shipping Name	Corrosive liquid, n.o.s.
Hazard Class	8
Packing Group	II
Classification Code	C9
Special Provisions	274
Description	UN1760, Corrosive liquid, n.o.s. (Potassium hydroxide), 8, II
Limited Quantity	1 L

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide	1000 lb			X
Sodium hypochlorite	100 lb			X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Potassium hydroxide	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ
Sodium hypochlorite	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ

U.S. State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Potassium hydroxide	X	X	X		X
Sodium hypochlorite	X	X	X		

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA	Health Hazard 3	Flammability 0	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazard 3	Flammability 0	Physical Hazard 0	Personal Protection X

Prepared By

Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Revision Date

16-Dec-2013

Revision Note

Initial Release.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet

