

# SuperKleen Oven Cleaner

UNI-KEM CHEMICALS, INC

802 Wm. Leigh Drive  
Tullytown, PA 19007  
Phone - 800-752-1120  
Fax - 215-269-9855

**GENERAL DESCRIPTION: OVEN AND GRILL CLEANER** offers thorough penetration of encrusted grease and grime. It is highly effective in the removal of those deposits found in baking ovens, especially baked-on fats, greases and carbon. It is also recommended for use on grills, deep fryers, steak platters and the undersides of hoods and canopies where grease and carbon accumulate. **OVEN AND GRILL CLEANER** can be diluted with water for economical use. This penetrating cleaner is a timesaver, helping to lower labor costs. **OVEN AND GRILL CLEANER** may be used on stainless steel, steel, chrome, iron, copper and most baked enamel oven surfaces. **OVEN AND GRILL CLEANER** is a foamy, semi-viscous liquid. It clings to vertical surfaces. **OVEN AND GRILL CLEANER** is free-rinsing; rinsed surfaces are left sparkling with no residual film. **OVEN AND GRILL CLEANER** is nonflammable.

## PROPERTIES:

Chemical composition . . . . . Viscosity modifiers, alkaline builders, alkaline stable surfactants, rinsing agents, water conditioners, soil suspending agents.

Appearance . . . . . Golden liquid

pH . . . . . 13.8

Specific Gravity . . . . . 1.074 (9.61 pounds per gallon)

Biodegradable . . . . . Yes

Caustic . . . . . Present

Metal Safety . . . . . Safe on iron, steel, stainless steel, nickel, porcelain, and glass. May be used on enamel and paint (when diluted). It may etch aluminum, and will tarnish copper, brass, zinc, tin, and galvanize on long contact.



## DIRECTIONS FOR USE:

**Oven & Equipment:** Use product **undiluted**. For best results, use on warm oven (160°F). Spray on with Trigger Spray Unit, direct from gallon bottle of solution. Foaming action allows product to cling to walls and top side of oven. Allow cleaner to penetrate for five minutes. For heavy carbon, use oven brush, or Scotch Brite brand applicator with handle. Rinse with a wet sponge to

remove all grease and carbon residue.

**OVEN AND GRILL CLEANER** can be applied with good results on a cold oven when cleaner is allowed to set 15 to 20 minutes. Heavily encrusted ovens may require a second application. One application will be adequate for periodically cleaned ovens.

**OVEN AND GRILL CLEANER** is well suited for automatic hood cleaners.

**ALWAYS USE GLOVES WHEN CLEANING OR RINSING.**

## HANDLING PRECAUTIONS:

### CAUTION - FIRST AID

#### KEEP OUT OF REACH OF CHILDREN

**EYES:** Flush with water for at least 15 minutes. If irritation persists, obtain medical attention. **SKIN:** Wash with plenty of water for 15 minutes. If irritation occurs and persists, obtain medical attention.

**INHALATION:** Remove from exposure. If discomfort occurs and persists, obtain medical attention.

**INGESTION:** Drink water to dilute. Obtain medical advice by phone.

**DECONTAMINATION PROCEDURE:** Wash with soap and water.

## PACKAGING:

4X1 Gal Carton



# SAFETY DATA SHEET

Issuing Date 18-Apr-2013

Revision Date 18-Apr-2013

Revision Number 0

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product Name MARKET PRO OVEN & GRILL

### Other means of identification

Product Code(s) SUOV

UN-Number UN1760

Synonyms SUOV

### Recommended use of the chemical and restrictions on use

Recommended Use Institutional dish machine detergent

Uses advised against No information available

### Supplier's details

**Supplier Address**  
Uni-Kem Chemicals, Inc.  
802 Wm. Leigh Drive  
Tullytown, PA  
19007  
TEL: 800-752-1120

### Emergency telephone number

Emergency Telephone Number CHEM-TEL, INC.  
24 Hour Emergency Contact 1-800-255-3924

## 2. HAZARDS IDENTIFICATION

### Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Skin Corrosion/Irritation	Category 1 Subcategory 1A
Serious Eye Damage/Eye Irritation	Category 1

### GHS Label elements, including precautionary statements

### Emergency Overview

Signal Word Danger  
Hazard Statements  
• Causes severe skin burns and eye damage

**Appearance** Clear**Physical State** Liquid.**Odor** No information available**Precautionary Statements****Prevention**

- Do not breathe dust/fume/gas/mist/vapors/spray
- Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection

**General Advice**

- Immediately call a POISON CENTER or doctor/physician

**Eyes**

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician.

**Skin**

- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse

**Inhalation**

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

**Ingestion**

- IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

**Storage**

- Store locked up

**Disposal**

- Dispose of contents/container to an approved waste disposal plant

**Hazard Not Otherwise Classified (HNOC)**

Not applicable

**Other information**

Harmful to aquatic life with long lasting effects

No information available.

**3. COMPOSITION/INFORMATION ON INGREDIENTS****Synonyms**

SUOV

Chemical Name	CAS-No	Weight %	Trade secret
Sodium hydroxide	1310-73-2	10-15	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. FIRST AID MEASURES**



**Description of necessary first-aid measures**

<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
<b>Skin Contact</b>	Wash off immediately with soap and plenty of water. Remove and wash contaminated clothing before re-use. Immediate medical attention is required.
<b>Inhalation</b>	Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.
<b>Ingestion</b>	Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Immediate medical attention is required.

**Most important symptoms/effects, acute and delayed**

**Most Important Symptoms/Effects** No information available.

**Indication of immediate medical attention and special treatment needed, if necessary**

**Notes to Physician** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** None

**Specific Hazards Arising from the Chemical**

No information available

**Explosion Data**

<b>Sensitivity to Mechanical Impact</b>	None.
<b>Sensitivity to Static Discharge</b>	None

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

<b>Personal Precautions</b>	Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Stop leak if you can do it without risk. If spilled, take caution, as material can cause surfaces to become very slippery.
-----------------------------	--

**Environmental Precautions**

<b>Environmental Precautions</b>	Dispose of contents/container to an approved waste disposal plant.
----------------------------------	--

**Methods and materials for containment and cleaning up**

<b>Methods for Containment</b>	Stop leak if you can do it without risk
<b>Methods for Cleaning Up</b>	Contain spill, dilute with water and neutralize as required. Wash away small spills with plenty of water. Large spillage: Soak up with inert absorbent material.

**7. HANDLING AND STORAGE**

**Precautions for safe handling****Handling**

Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Use only in area provided with appropriate exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Do not take internally. Wash thoroughly after handling.

**Conditions for safe storage, including any incompatibilities****Storage**

Keep containers tightly closed in a dry, cool and well-ventilated place. Store at room temperature. Keep from freezing. Keep container closed when not in use.

**Incompatible Products**

Strong oxidizing agents. Aluminium. Soft metals.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****Control parameters****Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

**Appropriate engineering controls****Engineering Measures**

Showers  
Eyewash stations  
Ventilation systems

**Individual protection measures, such as personal protective equipment****Eye/Face Protection**

Chemical resistant goggles must be worn. Face-shield.

**Skin and Body Protection**

Rubber boots. Apron. Rubber gloves. Neoprene gloves.

**Respiratory Protection**

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

**Physical State**  
**Odor**

Liquid  
No information available

**Appearance**  
**Odor Threshold**

Liquid  
No information available

**Property****Values****Remarks/ - Method**

pH

12.8

(4 % solution)

Melting Point/Range

No data available

None known

Boiling Point/Boiling Range

> 100 °C / > 212 °F

None known

Flash Point

No data available

None known

Evaporation rate

No data available

None known

Flammability (solid, gas)

No data available

None known

Flammability Limits in Air

upper flammability limit

No data available

lower flammability limit

No data available

Vapor Pressure

No data available

None known

Vapor Density

No data available

None known

Relative Density

No data available

None known

Specific Gravity

1.22

None known

Water Solubility

100%

None known

Solubility in other solvents

No data available

None known

Partition coefficient: n-octanol/water	No data available	None known
Autoignition Temperature	No data available	None known
Decomposition Temperature	No data available	None known
Viscosity	5 cps	None known

Flammable Properties Not flammable

Explosive Properties No data available  
Oxidizing Properties No data available

#### Other information

VOC Content (%) No data available

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

### Conditions to avoid

Spills or careless handling. Incompatible products.

### Incompatible materials

Strong oxidizing agents. Aluminium. Soft metals.

### Hazardous decomposition products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

Inhalation	May cause irritation of respiratory tract.
Eye Contact	Causes serious eye damage.
Skin Contact	Causes severe skin burns.
Ingestion	May be harmful if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium hydroxide	= 214 mg/kg ( Rat )	-	-

### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

### Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization No information available.

<b>Mutagenic Effects</b>	No information available.
<b>Carcinogenicity</b>	Contains no ingredient listed as a carcinogen.
<b>Reproductive Toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Aspiration Hazard</b>	No information available.

**Numerical measures of toxicity - Product**

The following values are calculated based on chapter 3.1 of the GHS document:

<b>LD50 Oral</b>	25000 mg/kg; Acute toxicity estimate
<b>LD50 Dermal</b>	3034 mg/kg; Acute toxicity estimate

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Sodium hydroxide		LC50 96 h: = 80 mg/L static (Gambusia affinis)		

**Persistence and Degradability** No information available.

**Bioaccumulation** No information available.

Chemical Name	Log Pow
Sodium hydroxide	0.83

**Other Adverse Effects**

No information available.

## 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Methods** Dispose of in accordance with federal, state, and local regulations

**Contaminated Packaging** Do not re-use empty containers.

Chemical Name	California Hazardous Waste
Sodium hydroxide	Toxic Corrosive

## 14. TRANSPORT INFORMATION

**DOT**

<b>UN-Number</b>	UN1760
<b>Proper shipping name</b>	Corrosive liquids, n.o.s.
<b>Hazard Class</b>	8
<b>Packing Group</b>	II
<b>Reportable Quantity (RQ)</b>	Sodium hydroxide: RQ kg= 22700.00
<b>Description</b>	UN1760, Corrosive liquids, n.o.s. ( Sodium hydroxide), 8, II, RQ
<b>Emergency Response Guide Number</b>	154

**TDG**

<b>UN-Number</b>	UN1760
<b>Proper Shipping Name</b>	Corrosive liquid, n.o.s.
<b>Hazard Class</b>	8
<b>Packing Group</b>	II
<b>Description</b>	UN1760, Corrosive liquid, n.o.s. (Sodium hydroxide), 8, II



UN-Number	UN1760
Proper Shipping Name	Corrosive liquid, n.o.s.
Hazard Class	8
Packing Group	II
Description	UN1760, Corrosive liquid, n.o.s. (Sodium hydroxide), 8, II

**ICAO**

UN-Number	UN1760
Proper shipping name	Corrosive liquid, n.o.s.
Hazard Class	8
Packing Group	II
Description	UN1760, Corrosive liquid, n.o.s., 8, II

**IATA**

UN-Number	UN1760
Proper Shipping Name	Corrosive liquid, n.o.s.
Hazard Class	8
Packing Group	II
ERG Code	8L
Description	UN1760, Corrosive liquid, n.o.s. (Sodium hydroxide), 8, II

**IMDG/IMO**

UN-Number	UN1760
Proper Shipping Name	Corrosive liquid, n.o.s.
Hazard Class	8
Packing Group	II
EmS No.	F-A, S-B
Description	UN1760, Corrosive liquid, n.o.s. ( Sodium hydroxide), 8, II

**RID**

UN-Number	UN1760
Proper Shipping Name	Corrosive liquid, n.o.s.
Hazard Class	8
Packing Group	II
Classification Code	C9
Description	UN1760, Corrosive liquid, n.o.s. ( Sodium hydroxide), 8, II

**ADR**

UN-Number	UN1760
Proper Shipping Name	Corrosive liquid, n.o.s.
Hazard Class	8
Packing Group	II
Classification Code	C9
Tunnel Restriction Code	(E)
Description	UN1760, Corrosive liquid, n.o.s. ( Sodium hydroxide), 8, II, (E)
ADR/RID-Labels	8

**ADN**

Proper Shipping Name	Corrosive liquid, n.o.s.
Hazard Class	8
Packing Group	II
Classification Code	C9
Special Provisions	274
Description	UN1760, Corrosive liquid, n.o.s. (Sodium hydroxide), 8, II
Limited Quantity	1 L

<b>15. REGULATORY INFORMATION</b>
-----------------------------------

**International Inventories**

TSCA	Complies
------	----------

DSL	Complies
NDSL	Complies
KECL	Complies
PICCS	Complies

**Legend**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List  
 KECL - Korean Existing and Evaluated Chemical Substances  
 PICCS - Philippines Inventory of Chemicals and Chemical Substances

**U.S. Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

**Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1000 lb			X

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium hydroxide	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

**U.S. State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Sodium hydroxide	X	X	X		X

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

**16. OTHER INFORMATION**

<b><u>NFPA</u></b>	Health Hazard 3	Flammability 0	Instability 1	Physical and Chemical Hazards -
<b><u>HMIS</u></b>	Health Hazard 3	Flammability 0	Physical Hazard 1	Personal Protection X

Issuing Date 18-Apr-2013  
 Revision Date 18-Apr-2013

---

Revision Note

Initial Release.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**

