

Uni-Kleen Super Force

UNI-KEM CHEMICALS, INC

802 Wm. Leigh Drive
Tullytown, PA 19007
Phone—800-752-1120
Fax— 215-269-9855

GENERAL DESCRIPTION: UNI-KLEEN SUPER FORCE is a granular, heavy duty, chlorinated, machine warewashing compound which provides clean ware and sparkling glasses under heavy soil load conditions in water of any hardness level, when used at normal warewashing concentrations. The chlorine in this heavily concentrated product is highly stable, providing exceptional destaining properties at efficient use costs.

UNI-KLEEN SUPER FORCE will deliver sparkling ware with one pass through the dishmachine when used in conjunction with RINSE ALL, or H.D. RINSE ALL RINSE ADDITIVE. UNI-KLEEN SUPER FORCE can be used in any dishmachine for washing all types of china, plasticware, and glassware.

UNI-KLEEN SUPER FORCE cuts through film and stains and prevents them from setting and building up on dishes. UNI-KLEEN SUPER FORCE also gives free rinsing action with complete sheeting for rapid spot-free drying. UNI-KLEEN SUPER FORCE conditions hard water and helps prevent formation of scale on machines.

PHYSICAL PROPERTIES:

Chemical Composition Chlorinating agents, water softening agents, caustic, alkaline builders, buffers, and metal protectors.

Appearance White powder

Available chlorine 2.0% or 200 ppm in 1% solution

Caustic Present

Foaming Low

Rinsing Excellent

Water Hardness Tolerance . .35 Grains Per Gallon at 0.3%

23 Grains Per Gallon at 0.2%

12 Grains Per Gallon at 0.1%



RECOMMENDED RANGE OF USE CONCENTRATIONS:

Titrate with Institutional Alkalinity Test Kit. Use range is 0.1% to 0.3%, or 5 to 14 drops (each drop = .0214%) using a 10 ml sample and 3 drops of Phenolphthalein Indicator. Select actual use concentration to handle water hardness and soil load.

NOTE: To properly titrate, adjust for raw water alkalinity by titrating H₂O just as you would a detergent solution. Subtract that number from total drop titration to derive intended detergent concentration.

HANDLING PRECAUTIONS:

CAUTION: WARNING KEEP OUT OF REACH OF CHILDREN.

Highly alkaline powder. Contact with skin and eyes may cause severe irritation. Harmful if swallowed. Flood with water if splashed in eyes. Flush with water for 15 minutes and consult physician immediately. If ingested, drink large amounts of milk, milk of magnesia or gelatin, or if these are not available, drink large amounts of water. DO NOT induce vomiting. Obtain prompt medical attention.

PACKAGING:

4/9 lb Jars/ctn - 36 lbs net / 39 lbs gross

CODE: UKHW

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

SAFETY DATA SHEET

Issuing Date 16-May-2013

Revision Date 16-May-2013

Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name SUPERFORCE

Other means of identification

Product Code(s) UKHW4

UN-Number UN1759

Synonyms UKHW4

Recommended use of the chemical and restrictions on use

Recommended Use Institutional dish machine detergent

Uses advised against No information available

Supplier's details

Supplier Address
Uni-Kem Chemicals, Inc.
802 Wm. Leigh Drive
Tullytown, PA
19007
TEL: 800-752-1120

Emergency telephone number

Emergency Telephone Number CHEM-TEL, INC.
24 Hour Emergency Contact 1-800-255-3924

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Acute Oral Toxicity	Category 4
Acute Dermal Toxicity	Category 4
Skin Corrosion/Irritation	Category 1 Subcategory 1A
Serious Eye Damage/Eye Irritation	Category 1
Specific Target Organ Systemic Toxicity (Single Exposure)	Category 3

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word	Danger
-------------	--------

Hazard Statements

- Harmful if swallowed
- Harmful in contact with skin
- Causes severe skin burns and eye damage
- May cause respiratory irritation

**Appearance** White**Physical State** Powder.**Odor** No information available**Precautionary Statements****Prevention**

- Wear protective gloves/protective clothing/eye protection/face protection
- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Do not breathe dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area

General Advice

- Immediately call a POISON CENTER or doctor/physician

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician.

Skin

- Call a POISON CENTER or doctor/physician if you feel unwell
- Wash contaminated clothing before reuse
- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell

Ingestion

- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- Do NOT induce vomiting

Storage

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed

Disposal

- Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

UKHW4

Chemical Name	CAS-No	Weight %	Trade secret
Pentasodium triphosphate	7758-29-4	< 30	*
Sodium carbonate	497-19-8	< 25	*
Sodium metasilicate	6834-92-0	< 25	*
Sodium hydroxide	1310-73-2	< 25	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with soap and plenty of water. Remove and wash contaminated clothing before re-use. Immediate medical attention is required.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.
Ingestion	Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Immediate medical attention is required.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None

Specific Hazards Arising from the Chemical

No information available

Explosion Data

Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None

Protective Equipment and Precautions for Firefighters

Protect from irritating mists and corrosive solutions with pressure demand, self-contained respirator and protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Stop leak if you can do it without risk. If spilled, take caution, as material can cause surfaces to become very slippery.

Environmental Precautions

Environmental Precautions Dispose of contents/container to an approved waste disposal plant.

Methods and materials for containment and cleaning up

Methods for Containment Stop leak if you can do it without risk

Methods for Cleaning Up Use NIOSH certified gas mask with canister for Chlorine. If possible, remove material to open air and flood with water. Contain spill, dilute with water and neutralize as required. Wash away small spills with plenty of water.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Use only in area provided with appropriate exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Do not take internally. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Store at room temperature. Keep from freezing. Keep container closed when not in use.

Incompatible Products Strong oxidizing agents. Acids. Aluminium. Soft metals.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³

Appropriate engineering controls

Engineering Measures Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Chemical resistant goggles must be worn. Face-shield.
Skin and Body Protection Rubber boots. Apron. Rubber gloves. Latex gloves
Respiratory Protection Particle filtering face piece

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Powder
Odor No information available
Appearance White
Odor Threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks/ - Method</u>
pH	13.0	(4 % solution)
Melting Point/Range	No data available	None known

Boiling Point/Boiling Range	> 100 °C / > 212 °F	None known
Flash Point	No data available	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limits in Air		
upper flammability limit	No data available	
lower flammability limit	No data available	
Vapor Pressure	No data available	None known
Vapor Density	No data available	None known
Relative Density	No data available	None known
Specific Gravity	No data available.	None known
Water Solubility	100%	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/water	No data available	None known
Autoignition Temperature	No data available	None known
Decomposition Temperature	No data available	None known
Viscosity	No data available	None known
Flammable Properties	Not flammable	
Explosive Properties	No data available	
Oxidizing Properties	No data available	

Other information

VOC Content (%) No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Incompatible products. Extreme heat. Keep away from direct sunlight.

Incompatible materials

Strong oxidizing agents. Acids. Aluminium. Soft metals.

Hazardous decomposition products

Chlorine gas. Toxic fumes

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure**Product Information**

Inhalation	May cause irritation of respiratory tract.
Eye Contact	Causes serious eye damage.
Skin Contact	Harmful in contact with skin. Causes severe skin burns.

Ingestion

Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization

No information available.

Mutagenic Effects

No information available.

Carcinogenicity

Contains no ingredient listed as a carcinogen.

Reproductive Toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Aspiration Hazard

No information available.

Numerical measures of toxicity - Product*The following values are calculated based on chapter 3.1 of the GHS document:*

LD50 Oral

1423 mg/kg; Acute toxicity estimate

LD50 Dermal

1350 mg/kg; Acute toxicity estimate

12. ECOLOGICAL INFORMATION**Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Pentasodium triphosphate		LC50 48 h: = 1650 mg/L (Leuciscus idus)		
Sodium carbonate	EC50 120 h: = 242 mg/L (Nitzschia)	LC50 96 h: 310 - 1220 mg/L static (Pimephales promelas) LC50 96 h: = 300 mg/L static (Lepomis macrochirus)		EC50 48 h: = 265 mg/L (Daphnia magna)
Sodium metasilicate		LC50 96 h: = 210 mg/L (Brachydanio rerio) LC50 96 h: = 210 mg/L semi- static (Brachydanio rerio)		EC50 96 h: = 216 mg/L (Daphnia magna)
Sodium hydroxide		LC50 96 h: = 45.4 mg/L static (Oncorhynchus mykiss)		

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

Dispose of in accordance with federal, state, and local regulations

Contaminated Packaging

Do not re-use empty containers.

Chemical Name	California Hazardous Waste
Sodium carbonate	Corrosive
Sodium hydroxide	Toxic Corrosive

14. TRANSPORT INFORMATION

DOT

UN-Number	UN1759
Proper shipping name	Corrosive solids, n.o.s.
Hazard Class	8
Packing Group	II
Reportable Quantity (RQ)	Sodium hydroxide: RQ kg= 2063.64
Description	UN1759, Corrosive solids, n.o.s. (Sodium hydroxide), 8, II, RQ
Emergency Response Guide Number	154

TDG

UN-Number	UN1759
Proper Shipping Name	Corrosive solid, n.o.s.
Hazard Class	8
Packing Group	II
Description	UN1759, Corrosive solid, n.o.s. (Sodium hydroxide), 8, II

MEX

UN-Number	UN1759
Proper Shipping Name	Corrosive solid, n.o.s.
Hazard Class	8
Packing Group	II
Description	UN1759, Corrosive solid, n.o.s. (Sodium hydroxide), 8, II

ICAO

UN-Number	UN1759
Proper shipping name	Corrosive solid, n.o.s.
Hazard Class	8
Packing Group	II
Description	UN1759, Corrosive solid, n.o.s., 8, II

IATA

UN-Number	UN1759
Proper Shipping Name	Corrosive solid, n.o.s.
Hazard Class	8
Packing Group	II
ERG Code	8L
Description	UN1759, Corrosive solid, n.o.s. (Sodium hydroxide), 8, II

IMDG/IMO

UN-Number	UN1759
Proper Shipping Name	Corrosive solid, n.o.s.
Hazard Class	8
Packing Group	II
EmS No.	F-A, S-B
Description	UN1759, Corrosive solid, n.o.s. (Sodium hydroxide), 8, II

RID

UN-Number	UN1759
Proper Shipping Name	Corrosive solid, n.o.s.
Hazard Class	8
Packing Group	II
Classification Code	C10
Description	UN1759, Corrosive solid, n.o.s. (Sodium hydroxide), 8, II

ADR

UN-Number	UN1759
-----------	--------

Proper Shipping Name	Corrosive solid, n.o.s.
Hazard Class	8
Packing Group	II
Classification Code	C10
Tunnel Restriction Code	(E)
Description	UN1759, Corrosive solid, n.o.s. (Sodium hydroxide), 8, II, (E)
ADR/RID-Labels	8

ADN

Proper Shipping Name	Corrosive solid, n.o.s.
Hazard Class	8
Packing Group	II
Classification Code	C10
Special Provisions	274
Description	UN1759, Corrosive solid, n.o.s. (Sodium hydroxide), 8, II
Limited Quantity	1 kg

15. REGULATORY INFORMATION**International Inventories**

IECSC -

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Pentasodium triphosphate				X
Sodium hydroxide	1000 lb			X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Pentasodium triphosphate	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
Sodium hydroxide	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Pentasodium triphosphate		X	X		
Sodium hydroxide	X	X	X		X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazard 3	Flammability 0	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard 3	Flammability 0	Physical Hazard 0	Personal Protection X

Prepared By Product Stewardship
 23 British American Blvd.
 Latham, NY 12110
 1-800-572-6501
Issuing Date 16-May-2013
Revision Date 16-May-2013
Revision Note Initial Release.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet

